

Ok_dmodule (a library for D-modules by Okutani)

Edition : auto generated by oxgentexi on 24 February 2014

OpenXM.org

We need to load the files 'gr', 'xm', 'ok_matrix.rr', 'ok_diff.rr', 'ok_diff.rr' to call functions in this manual.

The document has not yet been written.

Here are examples.

```
[344] odmodule_ch_ideal([x*dx+y*dy+a,dx^2+dy^2],[x,y]);
[x*dx+y*dy,dx^2+dy^2,y*dy*dx-x*dy^2,(x^2+y^2)*dy^2]
```

```
[348] odmodule_ch_ideal(odiff_op_appell14(a,b,c1,c2,[x,y]),[x,y]);
[-x*dx^2+y*dy^2,2*y*x*dy*dx+(y*x+y^2-y)*dy^2,
(2*y^2-2*y)*dy^2*dx+(-y*x+3*y^2+y)*dy^3,
2*y*x*dy^2*dx+(y*x^2+(-2*y^2-y)*x+y^3-y^2)*dy^3]
```

Index

(Index is nonexistent)

(Index is nonexistent)

Short Contents

| | |
|------------|---|
| Index..... | 2 |
|------------|---|

Table of Contents

| | |
|-------------|---|
| Index | 2 |
|-------------|---|