

# OpenMath XML Translation Server

---

Edition : auto generated by oxgentexi on 18 February 2019

# 1 OpenMath (1999)

om.rr. Java .

Author of OMproxy : Yasushi Tamura.

## 1.0.1 om\_start

om\_start()

:: OMproxy . CMO OpenMath XML (CD's in 1999) .

*return*

```
[155] load("om.rr");
1
[160] om_start();
control: wait OX
Trying to connect to the server... Done.
0
[161] om_xml(<<1,0>>+2*<<0,1>>);
<OMOBJ><OMA><OMS name="DMP" cd="poly"/>
<OMA><OMS name="PolyRing" cd="poly"/>
  <OMI>2</OMI></OMA><OMA>
  <OMS name="SDMP" cd="poly"/>
  <OMA><OMS name="Monom" cd="poly"/><OMI>1</OMI><OMI>1</OMI><OMI>0</OMI></OMA>
  <OMA><OMS name="Monom" cd="poly"/><OMI>2</OMI><OMI>0</OMI><OMI>1</OMI></OMA>
</OMA></OMA></OMOBJ>
[162] om_xml_to_cmo(@);
(1)*<<1,0>>+(2)*<<0,1>>
```

## 1.0.2 om\_xml

om\_xml(s|proc=p)

:: s CMO OpenMath XML (CD's in 1999) .

*return*

*p*

*s*

- *s* CMO OpenMath XML (CD's in 1999) .

```
For (I=0; I<10; I++) {
  A = 2^I;
  B = om_xml(A);
  C = om_xml_to_cmo(B);
  print(A == C);
}
```

## 1.0.3 om\_xml\_to\_cmo

om\_xml\_to\_cmo(s|proc=p)

:: OpenMath XML (CD's in 1999) *s* CMO .

*return*

*p*

*s*

- OpenMath XML (CD's in 1999) *s* CMO .

# Index

(Index is nonexistent)

(Index is nonexistent)

## Short Contents

|   |                       |   |
|---|-----------------------|---|
| 1 | OpenMath (1999) ..... | 1 |
|   | Index .....           | 3 |

## Table of Contents

|          |                        |          |
|----------|------------------------|----------|
| <b>1</b> | <b>OpenMath (1999)</b> | <b>1</b> |
| 1.0.1    | om_start               | 1        |
| 1.0.2    | om_xml                 | 1        |
| 1.0.3    | om_xml_to_cmo          | 1        |
|          | <b>Index</b>           | <b>3</b> |

